

Fabrication and Experimental Demonstration of a Four-Channel \times 40 Gb/s TriPLeX All-Optical Wavelength Conversion Platform

Christos Stamatiadis, *Student Member, IEEE*, Konstantinos Vyrsokinos, Leontios Stampoulidis, *Member, IEEE, Member, OSA*, Ioannis Lazarou, Bernhard Schrenk, *Student Member, IEEE*, Arne Leinse, Rene Heideman, Christiaan Bruinink, Edwin Jan Klein, and Hercules Avramopoulos

Abstract—We present a scalable circuit that performs multi-channel, all-optical wavelength conversion employing semiconductor optical amplifiers (SOAs) and a densely integrated TriPLeX photonic chip. The TriPLeX device performs chirp filtering and signal polarity inversion with on-chip signal processing. The chip includes a total number of 40 arrays of Si_3N_4 - SiO_2 microring resonators, delay interferometers and heating elements. The total footprint of each array is 2.19 mm^2 and the power consumption per integrated heater is below 80 mW. We have interconnected the TriPLeX chip with SOAs and we demonstrate experimentally $4 \times 40 \text{ Gb/s}$, parallel and wavelength tunable wavelength conversion with power penalties of less than 3 dB.

Index Terms—Microring resonators, optical signal processing, photonic integration, semiconductor optical amplifiers (SOAs), wavelength converters (WCs).

I. INTRODUCTION

WAVELENGTH DATA ROUTING using compact, low-cost, and power-efficient integrated photonics is considered a promising solution for future ultrafast, high-capacity core networks. In this context, academic and industrial R&D groups have focused their efforts on the development of highly integrated photonic components that perform routing functionalities [1]–[3], buffering [4], wavelength conversion [5]–[7] switching

[8], [9], and contention resolution [10]–[12] in the optical domain. The development of ultrahigh capacity routing platforms based on these components requires photonic integration technologies that can provide dense parallel integration to support wavelength division multiplexing (WDM). In addition to large integration density, these components should feature low loss and low power consumption and should be realized with cost-effective fabrication techniques.

One of the key components in photonic routing architectures is the optical wavelength converter (WC). The realization of truly compact and energy efficient terabits per second switching fabrics using scalable all-optical wavelength converters (AOWCs) remains in the top priority of research on broadband photonic routing systems. As such, research activities have been focused on the development of chip-scale, arrayed, WDM WCs using either hybrid or monolithic photonic integration. In this context, the European project IST-MUFINS has demonstrated a quadruple array of 40 Gb/s AOWCs on a chip size of $15 \text{ mm} \times 58 \text{ mm}$, employing silica-on-silicon technology [13]. Recently, other researchers have presented monolithic tunable optical router, a 61.6 mm^2 monolithic InP chip that hosts eight parallel AOWCs [14]. Both approaches have implemented the AOWCs with semiconductor optical amplifier (SOA) Mach–Zehnder interferometers that employ two active elements (SOAs) per AOWC. Simpler AOWCs with reduced feature size can be achieved with chirp-filtering technique that can operate at ultrahigh bit rates ($>100 \text{ Gb/s}$) employing only a single active component (a nonlinear SOA) followed by an optical bandpass filter (OBF) [15]. The scheme has originally been demonstrated with bulk OBFs; however, the appearance of microring resonators (MRRs) has enabled the implementation of microring-assisted AOWCs that can guarantee compactness and graceful scaling to WDM architectures. MRR-assisted AOWCs based on silicon-on-insulator can accommodate high-speed data rates due to the high index contrast, the potential for ultrasmall bends and the corresponding short round-trip times that are comparable to the ultrashort pulsewidths used at $>100 \text{ Gb/s}$ bit rates [17]. However, for bit rates up to 40 Gb/s where the pulses are in the order of tens of picoseconds, medium-index contrast material such as TriPLeX is most suitable due to lower waveguide and fiber-coupling loss [18].

Recently, the first report of this scheme employed a single ring resonator and a bulk delay interferometer (DI), comprising

Manuscript received November 29, 2010; revised February 28, 2011; accepted April 21, 2011. Date of publication April 29, 2011; date of current version June 03, 2011. This work was supported by the European Commission through project ICT-BOOM (FP7-224375) under the seventh Framework Programme.

C. Stamatiadis, I. Lazarou, and H. Avramopoulos are with the Photonics Communications Research Laboratory, National Technical University of Athens, Zographou, Athens 15773, Greece (e-mail: cstamat@mail.ntua.gr; ilazarou@mail.ntua.gr; hav@mail.ntua.gr).

K. Vyrsokinos was with the Photonics Communications Research Laboratory, National Technical University of Athens, Zographou, Athens 15773, Greece. He is now with the Department of Physics, Aristotle University of Thessaloniki, Thessaloniki 54636, Greece (e-mail: kvyrs@cc.ece.ntua.gr).

L. Stampoulidis is with Constelex Technology Enablers, Acharnai, Athens 13675, Greece (e-mail: lstamp@mail.ntua.gr).

B. Schrenk is with Universitat Politècnica de Catalunya, Barcelona 08034, Spain (e-mail: bernhard.schrenk@tsc.upc.edu).

A. Leinse, R. Heideman, and C. Bruinink are with Lionix BV, Enschede 7500 AE, The Netherlands (e-mail: a.leinse@lionixbv.nl; r.g.heideman@lionixbv.nl; C.M.Bruinink@lionixbv.nl).

E. J. Klein is with Xio Photonics BV, Enschede 7500 BG, The Netherlands (e-mail: e.j.klein@xiophotonics.com).

Color versions of one or more of the figures in this paper are available online at <http://ieeexplore.ieee.org>.

Digital Object Identifier 10.1109/JLT.2011.2148692




Fig. 1. Concept of the 4×40 Gb/s AOWC.

polarization controllers, beam splitters, and polarization-maintaining (PM) fiber [16]. In this single-channel 40 Gb/s proof-of-principle experiment, two erbium-doped fiber amplifiers (EDFAs) were employed within the WC due to the use of discrete components; one EDFA to compensate fiber-to-chip and chip-to-fiber coupling losses of the discrete reconfigurable optical add-drop multiplexer and one for postamplification and compensation of the losses of the cascaded bulk DI. The use of the two EDFAs per WC dominated the overall size and power consumption of the scheme limiting the scalability of a WDM demonstrator. In addition, the power consumption of each integrated heater element was ~ 480 mW, raising thermal management and thermal crosstalk issues in the case of dense integration of MRR arrays. In order to develop a compact and low-loss multichannel routing system based on the medium-index contrast TriPleX platform, it was necessary to integrate both the MRR and DI components on the same photonic chip. In addition, further reduction of the power consumed by the heater elements would be required to relax thermal management issues and enable a more dense integration level.

In this paper, we demonstrate the first multichannel wavelength conversion TriPleX platform that integrates arrays of second-order MRRs and DIs on the same photonic chip. Due to the on-chip interconnection of the MRRs with the DIs, no in-line optical amplification is required restricting the total size of the scheme to 87.5 mm^2 . Both MRRs and DIs can be independently tuned by heater elements each one consuming only 80 mW of electrical power. We demonstrate error-free, 4×40 Gb/s wavelength tunable, all-optical wavelength conversion with < 3 dB power penalty.

II. PRINCIPLE OF OPERATION

Fig. 1 shows the 4×40 Gb/s AOWC scheme. In this concept, four external SOAs are interconnected with a TriPleX integrated circuit that features four independent line structures. Each of them comprises a second-order ring resonator followed by a DI. Data streams enter the SOAs together with continuous wave (CW) light to which wavelength conversion has to be performed. Due to the finite recovery time of the SOAs, the wavelength converted signals suffer from distortion. SOA speed up




Fig. 2. (a) Box-shaped TriPleX waveguide. (b) Mode Profile. (c) Fabricated device. (d) Mask of the TriPleX chip.

is accomplished by using the TriPleX chip. First, the signals pass through a second-order MRR that performs chirp-filtering and effective recovery suppression. This can be achieved by detuning the response of each MRR slightly off the CW wavelength peaks using the integrated heating elements. In the case of blue-shifted offset filtering, inverted signals are generated at the output of the MRRs and the signal polarity needs to be restored. For this reason, all the drop ports of the MRRs are waveguide interconnected to arrays of tunable DIs whose notches are used for CW carrier suppression and to obtain noninverted operation. Finally, the data streams exit the AOWC platform imprinted on the CW wavelengths. The integration of the MRRs and DIs on the same chip implies that no in-line amplification is required, enabling the scaling of this scheme in terms of throughput, power consumption, and footprint.

III. DEVICE FABRICATION

The key components for the 4×40 Gb/s AOWC is the arrayed structure of MRRs and DIs. The whole integrated circuit was fabricated using TriPleX waveguide technology developed by Lionix, Enschede, The Netherlands. Stoichiometric silicon nitride (Si_3N_4) fabrication using low-pressure chemical vapor deposition (LPCVD) processing is widely used in integrated optics because of its large refractive index ($n \sim 2.0$) that enables very compact devices. By combining an additional material having a large compressive stress, such as LPCVD silicon dioxide (SiO_2), the total stress of the composite layer stack is strongly reduced. This alternating LPCVD layer stack concept can result in a rectangular channel waveguide structure with outstanding waveguiding characteristics and strong polarizing effects. This waveguide structure is formed by a cross section of silicon nitride (Si_3N_4) filled with and encapsulated by SiO_2 , as shown in Fig. 2(a). The channel geometry approximates a “hollow core” system, since it consists of a low-index “inner core” of SiO_2 “cladded” with the high-index “outer core” of Si_3N_4 . Modal characteristics depend only upon the geometry of the structure, as all composing materials are LPCVD end products with very reproducible characteristics. The whole process is CMOS compatible and very cost effective since only one photolithographical step is required for waveguide definition and guarantees a propagation loss of < 0.1 dB/cm [18].




Fig. 3. (a) Characterization setup. (b) MRR wavelength tuning. (c) Tuning versus power.

The fabrication process starts with thermal oxidation of a 100 mm diameter silicon wafer to form the lower cladding. Then, Si_3N_4 and SiO_2 are deposited by LPCVD and the photolithographical step is performed together with reactive ion etching. After a second LPCVD deposition of Si_3N_4 , local removal of the slab nitride layer is performed, followed by the top-cladding deposition. Local removal of the nitride, although more difficult in fabrication, results in a box-shaped structure reducing the modal birefringence and, also important, the absence of slab waveguides. The last two steps are LPCVD and plasma-enhanced chemical vapor deposition based oxide depositions to form the upper cladding. After the top-cladding depositions, the top surface is planarized by chemical mechanical polishing to yield a flat surface. A thin film of chromium and gold is deposited by electron-beam evaporation. These films are subsequently patterned with a two-step lithographical process using standard contact lithography and wet chemical etching to fabricate the microheater structures. The gold is etched near the ring resonators to locally increase the resistance. The silicon of the waveguide at the position of the heater was underetched reducing the leakage of heat to the silicon substrate. Although tuning speed was limited, tuning power was decreased to ~ 80 mW due to the concentration of the heat in the waveguide. The box-shaped waveguide had a 450×450 nm SiO_2 core with a 170 nm Si_3N_4 shell, allowing MRR bend radii down to $55 \mu\text{m}$. Fig. 2(c) illustrates the final TriPlex chip and the section that was chosen for the 4×40 Gb/s AOWC experiment. Fig. 2(d) shows part of the mask design with a set of pads for MRR and DI wavelength tuning.




Fig. 4. Transfer functions of WC1–WC4. The power has been normalized to the transmission peak in the spectrum.

TABLE I
OPTIMUM OPTICAL AND ELECTRICAL POWER LEVELS FOR WCs

WC	WC1	WC2	WC3	WC4
Power	1559nm	1561nm	1557nm	1550nm
opt. PData	1.6 mW	3.13 mW	2.92 mW	2.53 mW
opt. PCW	0.747 mW	0.627 mW	0.57 mW	0.8 mW
el. PHeater (1 st ring)	131.44 mW	0.88 mW	0 mW	0 mW
el. PHeater (2 nd ring)	0 mW	0.88 mW	0 mW	0 mW
el. PHeater (DI)	0 mW	85.68 mW	0 mW	69.7 mW

IV. DEVICE CHARACTERIZATION

Fig. 3(a) depicts the experimental setup for the characterization of the TriPlex chip. Amplified spontaneous emission from a spectrally flat light source was used for capturing the MRR and DI responses. A single polarization state was achieved utilizing a polarizer with over than 30 dB polarization extinction ratio. The light was coupled into the chip through a PM-lensed fiber, and the spectral response was acquired by an optical spectrum analyzer with a resolution of 10 pm. Fig. 3(b) shows the tuning of the MRR response when both ring heaters are enabled. With 60 mW/ring, wavelength tuning of 1 nm was achieved. Fig. 3(c) illustrates the individual heater tuning with respect to the electrical power.

Fig. 4 depicts the transfer functions of all the AOWCs. The free spectral range (FSR) of MRRs and DIs was 4 nm, while the 3 dB bandwidth was 60 GHz. An extinction ratio of >18 dB was achieved when MRRs and DIs were tuned properly. Due to fabrication tolerances, there was a slight difference between the FSRs of MRRs and DIs. This resulted in a nonuniform spectral response, which could be optimized with the heating elements at the operating wavelength inside the full C-band.

V. EXPERIMENT

The 40 Gb/s data signal was generated by time interleaving the pulses from a 2.2 ps, 10 GHz, tunable, mode-locked laser modulated with a $2^7 - 1$ pseudorandom bit sequence and tuned to a different transmission peak for each of the MRR/DI sequences (see Fig. 5). A pigtailed commercially available SOA with a gain recovery time of 30 ps was used for cross-gain




Fig. 5. Experimental setup.




Fig. 6. Eye diagrams of (a) B2B signal, (b), (d), (f), (h) inverted signals at the output of WC1–WC4, and (c), (e), (g), (i) noninverted signals at the outputs of WC1–WC4, respectively.

and π -phase modulation, and four laser diodes for providing the CW signals. The chip coupling was performed through standard single-mode lensed fibers. The outputs of the four WC signals at 40 Gb/s were evaluated by bit-error-rate (BER) measurements after demultiplexing to 10 Gb/s using an electroabsorption modulator. Table I shows the optimum operating power levels used for each WC. Deviations in the optical power measurements are primarily due to the SOA spectral profile and different fiber-to-waveguide coupling losses. The average electrical power required to tune the filter elements of each WC was 72 mW, or 24 mW per heater.

The eye diagram of the incoming data stream is depicted in Fig. 6(a). By detuning the transmission peaks of the second-order ring resonators 0.2 nm (blue-shifted) off the CW carriers, inverted operation is achieved at the outputs of the four WCs as illustrated in Fig. 6(b), (d), (f), and (h). With further tuning (0.3 nm blue-shifted), the inverted signal peaks approach close to




Fig. 7. BER curves of (a) B2B and WC1, (b) B2B and WC2, (c) B2B and WC3, and (d) B2B and WC4.

the notches of the DIs and as a consequence the signal polarity is restored. Fig. 6(c), (e), (g), and (i) shows these noninverted signals, verifying the SOA recovery acceleration and the effective increase of system operational speed. Initial and converted wavelengths for the four parallel WCs were 1) 1554 to 1558




Fig. 8. Inverted and noninverted spectrums for (a) WC1, (b) WC2, (c) WC3, and (d) WC4 [P(dB-m)- λ (nm)].

nm, 2) 1541 to 1561 nm, 3) 1544 to 1556 nm, and 4) 1543 to 1549 nm.

Fig. 7 depicts the BER curves obtained for the back-to-back and WC signals. Error-free operation was measured for all the demultiplexed, wavelength converted signals, with power penalties of less than 3 dB. No signal amplification was required between the SOA and the TriPlex chip, and the power penalty could be further reduced with fiber-to-chip coupling with tapered waveguide facets. Fig. 8 shows the optical spectrums recorded for all the four individual WCs. In the left-hand side, the inverted wavelength converted spectrums are depicted where slight blue-chirp filtering has been performed. On the right-hand side, noninverted spectrums are represented where carriers have been sufficiently suppressed by the DI notches.

VI. CONCLUSION

We have demonstrated the fabrication and testing of the first TriPlex wavelength conversion platform that offers 4×40 Gb/s throughput on a total footprint of 8.75 mm^2 . The TriPlex chip consumes <80 mW of electrical power per heater element to tune each of the 12 optical components. By tuning the arrays of second-order MRRs and DIs, we have presented 40 Gb/s all-optical wavelength conversion with power penalties of less than 3 dB.

REFERENCES

- [1] D. Chiaroni, R. Urata, J. Gripp, J. E. Simsarian, A. Gary, E. Sophie, T. Segawa, Y. Pointurier, C. Simonneau, Y. Suzuki, T. Nakahara, M. Thottan, A. L. Adamecki, and D. Nielson, "Demonstration of the interconnection of two optical packet rings with a hybrid optoelectronic packet router," presented at the presented at the Eur. Conf. Optical Communication, Torino, Italy, PD3.5.
- [2] D. J. Blumenthal, "LASOR: Label switched optical router," presented at the presented at the Int. Workshop Future of Optical Networking, Optical Fiber Communications Conf., Anaheim, CA, 2006.
- [3] I. Keslassy, S. T. Chuang, K. Yu, D. Miller, M. Horowitz, O. Solgaard, and N. McKeown, "Scaling internet routers using optics," presented at the presented at the ACM SIGCOMM, Karlsruhe, Germany, Aug. 2003.
- [4] F. Xia, L. Sekaric, and Y. Vlasov, "Ultra-compact optical buffers on a silicon chip," *Nature Photon.*, vol. 1, pp. 65–71, 2007.
- [5] L. Liu, J. Van Campenhout, G. Roelkens, D. Van Thourhout, P. R. Romeo, P. Regreny, C. Seassal, J. M. Fédéli, and R. Baets, "All-Optical wavelength converter with InP micro-disk laser integrated on SOI," presented at the presented at the Eur. Conf. Optical Communication 2008, Brussels, Belgium, Paper Tu.4.C.3.
- [6] M. L. Mananovic, V. Lal, J. A. Summers, J. S. Barton, E. J. Skogen, L. G. Rau, L. A. Coldren, and D. J. Blumenthal, "Widely tunable monolithically integrated all-optical wavelength converters in InP," *J. Lightw. Technol.*, vol. 23, no. 3, pp. 1350–1362, Mar. 2005.
- [7] J. Leuthold, J. Jaques, and S. Cabot, "All optical regeneration and wavelength conversion," presented at the presented at the Opt. Fiber Commun./Natl. Fiber Opt. Eng. Conf., Atlanta, GA, 2003, Paper WN1.
- [8] B. G. Lee, A. Biberman, N. Sherwood-Droz, C. B. Poitras, M. Lipson, and K. Bergman, "High-Speed 2×2 switch for multiwavelength silicon-photonics networks-on-chip," *J. Lightw. Technol.*, vol. 27, no. 14, pp. 2900–2907, Jul. 2009.
- [9] D. T. Neilson, "Photonics for switching and routing," *IEEE J. Sel. Topics Quantum Electron.*, vol. 12, no. 4, pp. 669–677, Jul./Aug. 2006.
- [10] S. Rangarajan, Z. Hu, L. Rau, and D. J. Blumenthal, "All-Optical contention resolution with wavelength conversion for asynchronous variable-length 40 Gb/s optical packets," *IEEE Photon. Technol. Lett.*, vol. 16, no. 2, pp. 689–691, Feb. 2004.
- [11] F. Xue, Z. Pan, H. Yang, J. Yang, J. Cao, K. Okamoto, S. Kamei, V. Akella, and S. J. B. Yoo, "Design and experimental demonstration of a variable length optical packet routing system with unified contention resolution," *J. Lightw. Technol.*, vol. 22, no. 11, pp. 2570–2581, Nov. 2004.
- [12] C. Stamatiadis, M. Bougioukos, A. Maziotis, P. Bakopoulos, L. Stampoulidis, and H. Avramopoulos, "All-optical contention resolution using a single optical flip-flop and two stage all-optical wavelength conversion," presented at the presented at the Opt. Fiber Commun. Conf., San Diego, CA, 2010, Paper OTHN5.
- [13] L. Stampoulidis, D. Apostolopoulos, D. Petrantonakis, P. Zakyntinos, P. Bakopoulos, O. Zouraraki, E. Kehayas, A. Poustie, G. Maxwell, and H. Avramopoulos, "Enabling Tb/s photonic routing: Development of advanced hybrid integrated photonic devices to realize high-speed, all-optical packet switching," *IEEE J. Sel. Topics Quantum Electron.*, vol. 14, no. 3, pp. 849–860, May/June 2008.
- [14] S. C. Nicholes, M. L. Mananovic, B. Jevremovic, E. Lively, L. A. Coldren, and D. J. Blumenthal, "The world's first InP 8×8 monolithic tunable optical router (MOTOR) operating at 40 Gbps line rate per port," presented at the presented at the Opt. Fiber Commun. Conf., San Diego, CA, 2009, Paper PDPB1.
- [15] Y. Liu, E. Tangdongga, Z. Li, H. de Waardt, A. M. J. Koonen, G. D. Khoe, and H. J. S. Dorren, "Error-free 320 Gbit/s SOA-based wavelength conversion using optical filtering," presented at the presented at the Opt. Fiber Commun. Conf., Anaheim, CA, 2006, Paper PDP28.
- [16] C. Stamatiadis, D. Petrantonakis, P. Bakopoulos, E. Kehayas, P. Zakyntinos, C. Kouloumentas, L. Stampoulidis, R. Dekker, E. J. Klein, and H. Avramopoulos, "First demonstration of WDM-enabled all-optical wavelength conversion with a SOA and a 2nd order micro-ring resonator ROADM," presented at the presented at the Opt. Fiber Commun. Conf., San Diego, CA, 2009, Paper PDP A8.
- [17] K. Vyrsokinos, L. Stampoulidis, F. Gomez-Agis, K. Voigt, L. Zimmermann, T. Wahlbrink, Z. Sheng, D. V. Thourhout, and H. J. S. Dorren, "Ultra-high speed, all-optical wavelength converters using single SOA and SOI photonic integrated circuits," in *Proc. IEEE Photonics Soc. Winter Topicals Meeting Ser.*, Jan. 11–13, 2010, pp. 113–114.
- [18] F. Morichetti, A. Melloni, M. Martinelli, R. G. Heideman, A. Leinse, D. H. Geuzebroek, and A. Boreman, "Box-shaped dielectric waveguides: A new concept in integrated optics?," *J. Lightw. Technol.*, vol. 25, no. 9, pp. 2579–2859, Sep. 2007.

Christos Stamatiadis was born in Maroussi Attikis, Greece, in 1981. He received the Diploma degree in electrical and computer engineering from the Aristotle University of Thessaloniki, Thessaloniki, Greece, in 2005, with specialization in telecommunications. He is currently working toward the Ph.D. degree at Photonics Communications Research Laboratory, National Technical University of Athens, Athens, Greece.

He has authored and co-authored more than 15 publications in IEEE and OSA journals and conferences. His research interests include high-capacity optical networks, design and development of optical processing systems/subsystems.

Konstantinos Vyrsokinos received the Diploma degree from the Technical University of Berlin, Berlin, Germany, in the frames of the ERASMUS exchange program and the B.Sc. degree in physics from the Aristotle University of Thessaloniki, Thessaloniki, Greece.

From February to August 2001, he was a Laboratory Assistant at the Heinrich-Hertz-Institut fuer Nachrichtentechnik Berlin GmbH, in Optical Signal Processing Group. From January 2002 to 2010, he was with the Photonics Communications Research Laboratory, National Technical University of Athens, where he was involved in the research on high-speed photonic systems. He is currently a Lecturer in the Department of Physics, Aristotle University of Thessaloniki. His main interest was the application of gain clamped semiconductor optical amplifiers for fast all optical switching.

Leontios Stampoulidis (M'03) received the Diploma degree in electronic and electrical engineering from the University of Patras, Patras, Greece, in 2002, and the Ph.D. degree from the Photonics Communications Research Laboratory, National Technical University of Athens, Athens, Greece, in 2009.

In September 2009, after eight years of R&D in photonics, he co-founded Constelx Technology Enablers, Athens, Greece, where he is currently involved in fiber amplifier product development and technical management of photonic R&D projects. He has authored and co-authored more than 50 papers in scientific journals and conferences. His current research interests include the design of terabits per second photonic routers and TbE transmission systems.

Dr. Stampoulidis is a member of the IEEE Photonics Society (formerly known as Lasers and Electro-Optics Society), the Optical Society of America, and the Technical Chamber of Greece.

Ioannis Lazarou received the Diploma degree in computer science and the M.Sc. degree in communications systems and technologies from the Aristotle University of Thessaloniki, Thessaloniki, Greece, in 2008 and 2010, respectively. He is currently working toward the Ph.D. degree at the Photonics Communications Research Laboratory, National Technical University of Athens, Athens, Greece.

His research interests include all-optical signal processing, all-optical packet routing, and advanced modulation formats.

Bernhard Schrenk (S'10) was born in Austria in 1982. He received the B.Sc. and M.Sc. degrees in microelectronics from the Technical University of Vienna, Vienna, Austria, in 2005 and 2007, respectively, and the Ph.D. degree from UPC BarcelonaTech, Barcelona, Spain.

He was focused on photonics and was involved in the realization of a first commercial prototype for a quantum cryptography system, within the European SECOQC project. During the Ph.D. research, he was involved in next generation passive optical networks for long-reach and high-data-rate Fiber-to-the-Home access networks within the European EURO-FOS, SAR-DANA, and BONE projects. He is currently with Universitat Politècnica de Catalunya, Barcelona, Spain.

Arne Leinse was born in Enschede, The Netherlands, in 1977. He received the M.Sc. and Ph.D. degrees in applied physics from the University of Twente, Enschede, The Netherlands, in 2001 and 2005, respectively. From 2001 to 2005 he carried out the Ph.D. research on active microring resonators for various optical applications in the Integrated Optical MicroSystems Group, the University of Twente. This work was part of a European project (IST 2000–28018 “Next generation Active Integrated optic Sub-systems”), and resulted in the thesis “Polymeric microring resonator based electro-optic modulator.”

In 2005, he joined LioniX BV, Enschede, The Netherlands, where he is currently a Project Leader of several integrated optics projects.

Rene Heideman was born in Goor, The Netherlands, in 1965. He received the M.Sc. and Ph.D. degrees in applied physics from the University of Twente, Enschede, The Netherlands, in August 1988 and January 1993, respectively.

After his Postdoctoral positions, he applied his extensive know-how in the industry. Since 2001, he has been Co-Founder and Chief Technical Officer of LioniX BV, Enschede, The Netherlands. He is an expert in the field of microsystem technology, in which he has more than twenty years of experience. He specializes in integrated optics, covering both (bio-)chemical sensing and telecom applications. He is the (co)author of more than 100 papers, and holds more than twenty patents in the integrated optics field, on ten different subjects. He participates in the Dutch IOP steering committee as well as several European projects.

Christiaan Bruinink received the M.Sc. degree in chemical engineering from the University of Twente, Enschede, The Netherlands, in 2001, and the Ph.D. degree from the same university in the field of unconventional nanofabrication.

From 2007 to 2009, he was a Postdoctoral Researcher in the Transducers Science and Technology Group, University of Twente, where he was involved in the fabrication of biomimetic flow-sensor devices. Since September 2009, he has been with LioniX BV, Enschede, The Netherlands, where he is involved in the research on integrated optics and microfluids.

Edwin Jan Klein received the M.Sc. Degree from the Electrical Engineering Department, University of Twente, Enschede, The Netherlands, in 2002, and the Ph.D. degree from the Integrated Optical MicroSystems Group, University of Twente.

He was as a Postdoctoral Researcher in the Integrated Optical MicroSystems Group, University of Twente, before joining LioniX BV in 2008, working as a product specialist, focusing on microring resonator-based programmable logic controller devices for use in optical telecommunication. He is currently a Design Engineer in XiO Photonics, Enschede, The Netherlands. He has (co)authored more than 35 publications in journals and conferences. His primary research interest is the development of complex photonic devices in TriPLeX waveguide technology.

In 2008, he won the prestigious Dutch Veder Award based on his research on microring resonators.

Hercules Avramopoulos received the Ph.D. degree from the Imperial College, London University, London, U.K., in 1989.

From 1989 to 1993, he was with the AT&T Bell Laboratories, Holmdel, NJ. He is currently the Head of the Photonics Communications Research Laboratory, National Technical University of Athens, Athens, Greece. His research interests include the demonstration and application of novel concepts in photonic technologies for telecommunications. He has participated and coordinated several European projects, including FP-6 MUFINS and FP-7 EURO-FOS, BOOM, APACHE, and POLYSYS.